

# 中華民國獸醫病理學會第 320 次組織病理會議

Chinese Society for Veterinary Pathology

The Three Hundred and Twentieth (320th) Histopathology Seminar

Date: Mar. 8, 2013

Place: AHRI

**Case 1. CSVP 2013-2729 (101-F840, Tainan City Animal Health Inspection and Protection Office, J.T. Liu, W.C. Chuang, C.C. Lee)**

Cultured marble goby (*Oxyeleotris marmorata*) fry, approximately 5 cm long, showed abdominal extension. The speculated morbidity is 90 % (9,000/10,000) and the accumulated mortality is about 30 % (3,000/10,000). Abnormal fish were submitted for examination.

**Case 2. CSVP 2013-2730(Q101-209, Pingtung county LDCC, M.T. Tsai, I.P. Lu, W.L. Chen, CH Chang, S.T. Huang, J.P. Hsu)**

Weaned Pig, LYD type, 5-week-old, showed sudden death in rapid growing pigs without any prior clinical signs in a wean-to-finish pig farm. The morbidity and the mortality were about 2.5 % (10 /400) and 2 % (8/400), respectively.

**Case 3. CSVP 2013-2731 (P101142, Kaohsiung City Animal Protection Office, W. C. Chen, C.T. Wu, C.B. Chao, C.F. Cheng)**

Love bird (*Agapornis pullarius*), immature, import from the Philippines, showed clinical signs of marked ocular discharge, swelling and yellowish nodule of eyelids, anorexia and depression. A tentative diagnosis of poxvirus infection has been made based on the clinical examination, but the manager kept treating birds with long-term antibiotic therapy. The morbidity was about 70 % and mortality was 60 % in the two-month duration.

**Case 4. CSVP 2013-2732 (WA101-2869, NPUST, B.K. Lee, C.D. Chang, H.C. Wang, H.S. Chiou, T.C. Chang)**

Dama dama (fallow deer), adult, showed clinical signs of depression and weakness. Multiple masses, about 0.2 x 0.2 x 0.1 cm, were randomly distributed in the liver.

**Case 5. CSVP 2013-2733 (SP101-6622, NPUST, Y.H. Li, C.D. Chang, T.C. Chang, H.C. Wang, H.S. Chiou, C.N. Lin)**

Feline, mongrel, 4-month-old, male, showed clinical signs of dehydration and vomiting for several days.

**Case 6. CSVP 2013-2734 (SP101-6616, NPUST, C.C. Lin, C.D. Chang, T.C. Chang, H.S. Chiou, H.C. Wang)**

Canine, Maltese, 6-month-old, intact male, showed clinical signs of lameness and pain of the left pelvic limb.